PHYTOPATHOLOGY

INDEX TO VOLUME 33, 1943

Volume 33
Number 12
December, 1943

1943

PHYTOPATHOLOGY

AN INTERNATIONAL JOURNAL

OFFICIAL ORGAN OF THE AMERICAN PHYTOPATHOLOGICAL SOCIETY

VOLUME XXXIII
JANUARY–DECEMBER, 1943

EDITORS

H. B. Humphrey — Annie Rathbun-Gravatt — G. M. Armstrong

EDITOR FOR EUROPE

H. M. Quanjer

ASSOCIATE EDITORS

Alma M. Waterman	George L. Peltier	R. E. Smith
B. L. Richards	C. O. Johnston	W. W. Wagener
T. C. Vanterpool	A. G. Plakidas	J. M. Hamilton
S. P. Doolittle	E. S. Schultz	G. C. Kent

BUSINESS MANAGEMENT

H. A. Edson — Agnes E. Meier — S. L. Hopperstead

THE AMERICAN PHYTOPATHOLOGICAL SOCIETY

OFFICERS

J. C. Walker, *President*
J. J. Christensen, *Vice-President*
C. C. Allison, *Secretary*
H. A. Edson, *Treasurer*

COUNCILORS

L. M. Hutchins	H. A. Rodenhiser	A. G. Plakidas
J. G. Leach	G. A. Huber	O. C. Boyd

PUBLISHED FOR THE SOCIETY
THE SCIENCE PRESS PRINTING COMPANY
LANCASTER, PENNSYLVANIA

INDEX FOR VOLUME 33

New species in **blackface type**
Joint authorship indicated by pages in "( )"
Species index of bacteria included
AUTHOR AND SUBJECT INDEX

Prepared by Frederick V. Rand, Office of Experiment Stations, U. S. Department of Agriculture

Acer rubrum, decayed wood, calorific and chemical study, 45
Aceratogallia sanguinolenta, as vector of: potato yellow dwarf, 17, 363
potato yellow dwarf vars., 1110
Actinomyces sp., lysis of Fusarium oxysporum cubense by, 403
Aecidium carthamni, on safflower, 795
Aeration, root-, cantaloupe physiological leaf spot role, 162
Aerobiology, spore identification from exposed slides, 75
Agallia constricta, as vector of: potato yellow dwarf, 17
potato yellow dwarf vars., 1110
Agar, substitute, corn-meal and starch mush, 617
Agaricus campestris, disease resistance, mechanism, 13
fructification and mushroom production, inhibitory factors, 1129
single-spore culture method, 530
spore germination method, 530
Age, plant-, effect on incidence of tomato early blight, 1176
Agrobacterium spp., growth in synthetic medium as taxonomic aid, 315
Agropyron spp., smuts of cereals on, reactions to, 912
cristatum, Helminthosporium sativum on, 238
Pythium graminicolum on, 238
Agrostis alba, stripe smut, chlamydospore germination, 707
culture, 7, 707
Air, spores on slides exposed to, identification, 75
Air dissemination of: carrot Cercospora blight, 118
Hypoxylon pruinatum, 1112
pineapple yellow spot vector, 410
wheat stem rust, 12
Alfalfa, Ditylenchus dipsaci strain on white clover, sweet clover and, 525
Rhizoctonia root canker, general study, 1081
Alkyl mercuric acetylene, fungicidal action of vapor, 445
Alkyl mercuric acetylene urea, fungicidal action of vapor, 445
ALLEN, MERLIN W., (525)
ALLEN, T. C., 1109
ALLISON, J. LEWIS, (484)
Almond, Coryneum beijerinckii on, eradicant sprays for, 506
Sclerotinia laxa on, eradicant sprays for, 506
Aloe variegata, Pythium root rot control by hot water, 736
Alternaria spp., on cereal seeds, storage temp. effects, 333
in deciduous nursery tree root rot and control, 656
wheat kernel smudge due to, varietal reactions, 4
solani, on Lycopersicon spp., "physiological" maturity vs., 1
on potato, zinc sulphate-lime effect on fungicidal control, 1113
on tomato, control, by Fermate, 1119
by seed treatments, 797
culture practices influencing, 1176
sporulating non-chromogenic variant, 729
virulence of strains, comparison method, 698
zinniae, distribution, 372
seed and soil transmission, 379
on Zinnia elegans, general study, 372
Althaea rosea, Puccinia stakmanii (exp.) on, 387
AMERICAN PHYTOPATHOLOGICAL SOCIETY, annual report (1942), 413
War Committee reports, 339, 747
Ammonium compounds, cationic quarternary, fungicidal value, 1115
Anaerobiosis, sap collection under, technique, 129
Anatomy, plant-, book review, 623
ANDERSON, H. W., 1109
ANDREWS, E. A., 234
angulatum (Bacterium), 1120
Annulus tabaci, cyanide effects on synthesis, 77
Antagonisms, Actinomyces for Fusarium, 403
clavacin for phytopathogenic bacteria, 1109
crop-residue toxicity, microbial role, 1111
in Pythium spp., 287
between toxicants, significance, 18
viruses vs. "non-toxic" substances, 675
Anthracnose, cotton-, 666
honeydew melon-, 245
lupine-, 249
Rubus, 1115
tobacco-, in plant beds, 15
tomato-, 1120
Antibiosis (see Antagonisms)
Antiseptic, 8-hydroxyquinoline as, mechanism, 1121
Aphanomyces sp., damping-off by, measure of, seedling germination rate/fungus growth rate as, 7

cochlioides, sugar beet seedling disease due to (?), 7
Apple, Armillaria root rot in eastern U. S. A., 814
cold-storage behavior, boron effects, 2
fungicides on, field testing technique, 13
redistribution on leaves, significance, 5
growth and yield, copper fungicide effects, 56
sulphur fungicide effects, 2, 56
internal bark necrosis, boron vs., 1
Rhizoctonia on grafts and layers, 255
rust, control, by Fermate, 5
particle size vs., 533
on Wealthy var. in Minn., 1118
scab, control, by eradicant vs. protectant sprays, 6
eradicant action of fungicides on leaves for, 1192
by eradicant spray, cationic phenyl Hg compounds as, 1114
by Fermate, 5
fungicide particle size vs., 533
sulphur coverage effect vs., 1119
water-soluble fungicide for, 1097
genetics of fungus, 11
incidence on Wealthy var. in Minn., 1118
inheritance in fungus, 19
spraying, efficiency of new-type equipment, 1114
Apricot, Coryneum beijerinckii on, eradicant sprays for, 506
Sclerotinia laxa on, eradicant sprays for, 506
Area determination, on leaves, technique, 922, 1071
Armillaria sp., fruit tree root rot due to, in eastern U. S. A., 812
ARNDT, C. H. 607
ARRUDA, S. C., 1
Arthur, Joseph Charles, biographical note, 428
Ascorbic acid, effect on rust fungi, 724
Aspen, Hypoxylon pruinatum on, pathogenicity factors, 1112
Aspergillus niger, growth product, effect on plant viruses, 675
Aster, yellows, on Ambrosia artemisiifolia, 16
virus, annual-phlox infection via leaf hoppers, 741
potato infection, 16
properties, 2
transmission by Macrosteles divisus, 16

BABB, M. F., 1098
Bacteria, in culture, maintenance technique, 330
identification by bacteriophage, 1119
phytopathogenic, clavacin effects on, 1119
growth in synthetic medium as taxonomic aid, 314
"Bacterial pit," of mushrooms, description and etiology, 1092
Bactericides, clavacin, effect on phytopathogens, 1119
Bacteriophage, bacteria identified by, 1119
Bacteriostatic action, of 8-hydroxyquinoline, mechanism, 1121
Bacterium angulatum, on roots of pasture plants, 1120
solanacearum, in tobacco, control by urea in soil, 11
pattern of occurrence in successive plantings, 1076
tabacum, multiplication on roots other than tobacco, 3
overwintering in soil, 1109
pathogenicity to tobacco and serology of miscellaneous bacteria vs., 1109
on roots of pasture plants, 1120
tumefaciens, invading tumors induced by, factors influencing, 8
BAIN, D. C., 220
BAKER, KENNETH F., 736, 832
BALD, J. G., 922
BALDWIN, HENRY IVES, 338
Banana, soil applications of mercurials, Fusarium oxysporum cubense vs., 835
Banded corky bark, citrus-, virus (?) origin, 862
Barbak, D., corn seed treatment by, 602
Bark disorders, citrus-, virus (?) origin, 860
Barley, Alternaria on seeds, storage temp. effects, 333
Helminthosporium sativum on seed in Canada, 4
loose smuts, occurrence, identification and species validity, 194
powdery mildew, on grass spp., 5
seed-borne diseases, seed treatments for, 1064
stem rust, adult vs. seedling reactions, 254
reactions to races, 253
Ustilago nigra on, physiologic races, frequency and distribution, 324
BARRATT, R. W., 1
BARRUS, M. F., 1086
BARSS, HOWARD P., 420
BATEN, WILLIAM DOWELL, 1071
BEACH, W. S., 1109
BEALE, HELEN PURDY, (8)
Bean, Lima, downy mildew, fungicides for, 2
seed treatment vs. soil moisture, 3
yeast spot Nematospora, association with green stinkbug, 1209
Macrophomina dry rot, 1113
mosaic virus, sensitivity to inactivators, 675
virus-4, symptom expression, genetics of, 16
mosaic-resistant, productivity and quality of snap vars., 778
pea-, mosaic (new) of, 1215
powdery mildew, fungicidal action on, factors in, 1148
rust, fungicidal action on, factors in, 1147
variegation resembling mosaic in snap-, 779
virus (?) disease (new), 743
wax-, blossom drop reduced by growth substances, 1109

Bean virus-2, new bean virus (?) related to, 743
Beauveria bassiana, on elm insects, distribution in U.S.A., 76
Beech, decayed wood, calorific and chemical study, 45
Beet (see Sugar beet)
BENNETT, C. W., 424, 818
Benzine, fungicidal action of vapor, 445
Benzol, fungicidal action of vapor, 445
BERG, ANTHONY, 1
Beta-indoleacetic acid, effect on rust fungi, 724
Betula papyrifera, decayed wood, calorific and chemical study, 45
Bignonia capriolata, Sphaceloma on, 1
Biographies and necrologies, Arthur, Joseph Charles, 428
Mitra, Manoranjan, 429
Pierstorff, Arthur Lewis, 430
BIOLOGICAL ABSTRACTS, committee report on, 419
Birch, white- (see Betula papyrifera)
BITANCOURT, A. A., 1, (837), 865, 1109
BLACK, L. M., 2, 17, 363, 1110
"Black point," wheat-, 1112
Black shank, tobacco Phytophthora, 403
Black spot, rose-, 1097
Blackberry, Haplosphaeria stamen blight, distribution, symptoms, pathogenesis, and control, 136
Septoria rubi leaf spot, 1002
Blackfire, tobacco-, 1120
Black-spot, rose-, 1185
Blights, arborvitae (oriental), Cercospora causing, 1117
barley Helminthosporium seedling-, 1064
blackberry Haplosphaeria, 136
carrot Cercospora, 114
celery Cercospora, 1097
chestnut-, 18
corn (field) Helminthosporium leaf-, 18
dewberry Haplosphaeria, 136
eggplant Phomopsis, 1117
grass fungus seedling-, 234
peach Coryneum, 962
peach Sclerotinia blossom-, 15
pine Diplodia, 390
potato early-, 1113
potato late-, 1104
potato southern (Corticium), 615
stone-fruit Coryneum, 1120
stone fruit Sclerotinia, 506
tomato Alternaria, 1, 698, 729, 797, 1119, 1176
tomato leaf-, 9
wheat Helminthosporium seedling-, 1064
Blind-pocket psorosis, comparative symptomatology, 854
BLODGETT, EARLE C., 620
Blossom drop, in wax bean, growth substances reducing, 1109
Blotch, mushroom bacterial, 1093
Bluegrass, Kentucky- (see Poa pratensis)
Ustilago striaeformis on, isolation and culture, 1116
Blue mold, tobacco- (see Peronospora tabacina)
BOHN, G. W., (1098)
BONDE, REINER, (1032), 1110, 1118
Book reviews (see under Reviews)
Bordeaux mixture (see under Fungicides)
Boron, apple internal bark necrosis vs., 1
effect on flax diseases, 1113
Boron deficiency, apple-, effect on apple cold-storage behavior, 2
olive-, general study, 933
rutabaga water-core due to, control, 8
Botrytis cinerea, on cherry, organic materials for pre-harvest spray, 683
on lupines, 319
Bouteloua spp., Puccinia stakmanii (exp.) on, 387
gracilis, Helminthosporium sativum on, 238
BRAUN, ALVIN J., (136), (156)
BRAUN, ARMIN C., 85
Breakdown, sugar cane internal-, mosaic-associated, 3
"Breaking," in phlox, aster yellows virus via leaf hoppers causing, 741
Breeding (see also Genetics, Mutation)
chestnut, for blight resistance, 18
tobacco, for mosaic resistance, 567
tomato, for tobacco mosaic resistance, 691
BREMER, H., 165
BRENER, W. H., (11)
BRISCHLE, H. A., (4)
Bromus inermis, seedling blight and root rot, 238
Broom-rape, tomato parasitized by, 257
BROWN, EDGAR, 333
Browning reaction, in wheat stem rust, 484
"Buba," potato disease of Andean region, 1086
Bunt, wheat-, 240, 259, 332
wheat dwarf-, 732
BURKHOLDER, WALTER H., (1215)
BURRELL, A. B., 2
BYAM, L., (11)

Cabbage, yellows, host nutrition role, 15
CALAVAN, E. C., (1212)
Camellia spp., Sphaceloma on, 1
CAMPBELL, W. A., (965)
Canker, lupine Botrytis, 319
pine (soft) Diplodia, 828
Cantaloupe, physiological leaf spot, root aeration role, 162
seed protectants for, 14
Carbon disulphide, soil adsorption, 12
soil sterilization by, wetting agent effects on, assay, 11
Carduncellus caeruleus, Puccinia carduncelli on, 792
Carnation, mosaic, symptoms, virus nature, transmission and distribution, 823
rust, eradicant action of fungicides on leaves for, 1191
carotovora (Erwinia), 80, 1120
Carrot, Cercospora blight, dissemination, pathogenesis, hosts, and general study, 114
mineral nutrition relations, 121
seed treatment for, 119
seed protectants for, 14

Carthamnus calvus, Puccinia carduncelli on, 792
tinctorius, rusts of, 789
CARVAJAL, F., 2
CASSELL, R. C., (884)
Catalpa bignoniodes, Sphaceloma on, 1
Catex, onion smut control by, 9
Cattelya spp., Erwinia soft rot, 80
Cattle, serum of, effect on plant viruses, 675
Cedar, western red- (see Thuja plicata)
Cedar-apple rust, fungicidal control, particle size vs., 533
Celery, Cercospora blight, water-soluble fungicide for, 1097
Cells, coacervates in plant-, origin and artificial production, 739
Cenchrus pauciflorus, smut, cross inoculations, 572
Ceratostomella ulmi, on elm, internal therapy, 16
spore dosage and elm response, logarithmic-probit relations, 1121
toxin of, virus compared, 20
Cercospora spp., arborvitae (oriental) blight due to, 1117
cypress (Italian) blight due to, 1117
apii, water-soluble fungicide for, 1097
carotae, dissemination, pathogenesis, host and physiology, 114
nicotianae, on tobacco, environal relations, 355
resistance to, real vs. apparent, 358
oryzae, physiological races, 70
Cereals, Alternaria on seeds, storage temp. effects, 333
seed treatments, report of coordination -of-research committee, 423
by Spergon, 332
seed-borne diseases in Manitoba, 1111
smuts, grass susceptibility to, 910
Typhula snowmold, general study, 1157
Ceresan, fungicidal action of vapor, 431
Chalara sp., oaks rapidly killed by, 18
Chemotherapy, internal, for vascular diseases, 16
CHEN, SHAN-MING, 1118
Cherry, Armillaria root rot in easter U. S. A., 814
black- (see Prunus serotina)
fungicides on, field testing technique, 13
leaf spot, spray program vs. epidemiology, control, injury and fruit size, 1115
Montmorency, leaf spot control as influenced by copper spray dosage and injury, 9
pre-harvest spray, organic materials in, 683
rasp leaf, virus nature, distribution and description, 620
sour-, Sclerotinia laxa imperfect stage on, in Wis., 1212
yellows, now virus disease, 449
symptom masking by temp, 1213
virus diseases, 6
yellows, insect transmission, 466
strains in Montmorency var., 6
Cherry-plum hybrids, Sclerotinia fructicola from, variation in single-ancospore isolates, 1118
CHESTER, K. STARR, 17, (1113)
Chestnut, blight resistance in timber type, breeding for, 18
CHILDS, W. H., 1119
CHILTON, ST. JOHN P., (171), (401), 749, (1157)
Chlamydospores, abnormality inherited in Ustilago, 749
Chlorophenates, as eradicant sprays for stone fruit fungi, 1120
Chloropicrin, fungicidal action of vapor, 445
root knot control by, in greenhouse, 6
soil fumigation, 1166
soil adsorption, 12
soil sterilization by, wetting agent effects, assay, 12
Chloroplasts, isolation method, 766
Chondriome, phytopathogenic viruses evolved from (?), 20
CHRISTENSEN, CLYDE M., (328)
CHRISTENSEN, J. J., (253), (1112), (1117)
Chromoprotein, extraction from plastids, 768
properties, 769
Chrysanthemum, Verticillium-free clones, establishment, 3
Circular-spot corky bark, citrus-, virus (?) origin, 862
Citrivir psorosis var. alveatum, comparative symptomatology, 854
var. anulatum, comparative symptomatology, 847
var. concavum, comparative symptomatology, 850
var. vulgare, comparative symptomatology, 840
Citrus, bark disorders due to viruses (?), 860
convex gum (virus?) of, 394
infectious variegation, crinkle leaf association, 860
psorosis, comparative symptomatology of forms of, 837
wood alteration vs. tree deterioration, 865
Clavacin, effect on phytopathogenic bacteria, 1109
Claviceps sp., on Zizania, 12
purpurea, epidemic production technique, 1116
CLAYTON, C. N., (449)
CLAYTON, E. E., (8), (11), 101, (1045)
Clones, Verticillium-free establishment, 3
Clover, white- (see Trifolium repens)
CLULO, GENEVIEVE, (1), (1209)
Coacervates, in plant cells, origin and artificial production, 739
COCHRAN, L. C., (1101)
Colletotrichum sp., in tobacco anthracnose, 15
falcatum, Physalospora perfect stage, 2
lagenarium, on honeydew melons as influenced by packing methods, 245
phomoides, on tomato, effect on leaf blight spray control, 9

COLLEY, REGINALD H., 17
Compost, effect on Fusarium-root knot-attacked cotton yields, 10
Concave-gum psorosis, citrus-, comparative symptomatology, 850
CONDIT, IRA J., 719
Coniophora cerebella, black cherry rot due to, general study, 981
puteana, as influenced by western red cedar heartwood extracts, 518
CONNERS, I. L., 789
Convex gum, citrus virus (?) disease, 394
COOLEY, J. S., 255, 812
Copper, fungicidal (see under Fungicides)
Cordwood, decayed, calorific and chemical study, 45
Corky bark, citrus-, virus (?) origin, 860
Corn, Diplodia macrospora on, in Md., 528
field-, Helminthosporium turcicum leaf blight of inbreds and hybrids, 18, 407
Phytomonas stewartii leaf blight of imbreds and hybrids, 407
inoculation method for ear and stalk rots, 16
Macrophomina dry rot, 1113
pink roots on, Phoma terrestris causing, 526
smut, chlamydospore abnormality, 749
white mutant, 943
seed treatment by mercury vs. non-metallic dusts, 602
sweet-, seed protectants for, 14
Corticium rolfsii, potato southern blight due to, description and soil moisture relations, 615
solani, sugar beet leaf blight due to, 6
Corynebacterium spp., phytopathogenic, growth in synthetic medium as taxonomic acid, 315
sepedonicum, culture in potato-juice media, 1118
morphology, physiology, serology, longevity, and pathogenicity, 1032
survival in storage, 1110
taxonomy, 1042
Coryneum beijerinckii, chlorophenates as eradicant sprays for, 1120
on peach, control by Fermate, 962
on stone fruits, eradicant sprays for, 506
COTTER, R. U., (12)
Cotton, damping-off, by Pythium ultimum, conditions favoring, 607
seed treatment for, 51
Fusarium-root knot on, soil amendment effects on yield and, 10
Fusarium wilt, crop rotations for, 483
distribution, 469
on sweet potato and tobacco vs., 469
hypocotyl infection by Glomerella gossypii vs. Fusarium moniliforme, histopathology, 666
lightning injury, Rhizoctonia associated, 154
types, symptoms, and effects, 150
Rhizoctonia infection, seed dusting against, 51
rust (new), distribution, hosts and general study, 382
seed treatments, 17
by fungicidal vapors, 431
Cover crops, tobacco leaf-spot bacteria on roots of, 1120
Cowpea, Macrophomina dry rot, 1113
Cranberry, false blossom, transmission from tomato by dodder, 19
CRANDALL, BOWEN S., 963
CREAGER, D. B., 823
Creosote dust, fungicidal action of vapor, 445
Crinkly-leaf psorosis, comparative symptomatology, 858
Cronartium ribicola, on red currant spp. and vars., relationships, 341
Ribes distribution measurement in control work, 4
on white pine, red currant role, 341
selection for resistance, 11
Crop residues, effects on root diseases, 1111
Crown gall, chemical influences resembling, 1119
invading forms and factors influencing, 8
malignancy in animal tumors vs., 98
sterility of secondary tumors, 85
Crumbly-gum corky bark, citrus-, virus (?) origin, 860
Cucumber, mosaic, virus, passage from cion to stock, contact period effects, 818
sensitivity to inactivators, 675
powdery mildew, fungicidal action on, factors in, 1147
tobacco ring spot on, acute vs. chronic symptoms, 8
Cucumis virus-1, reactions of resistant tobaccos to, 565
Cultures, media (see under Technique)
technique (see under Technique)
CUMMINGS, KATHERINE, (736)
CUNNINGHAM, H. S., 2, 3
Cupressus sempervirens, Cercospora blight, 1117
Curly top, on tobacco, immunity acquirement mechanism, 589
inoculation site effects, 10, 586
virus, passage from cion to stock, contact period effects, 818
Currants, red-, blister rust relations of cultivated spp., and vars., 341
CURTIS, LAWRENCE C., 1110
Cuscuta campestris, cranberry false blossom transmitted by, 19
Cyanamid, effect on Fusarium-root knot-attacked cotton yields, 10
Cyanide, effect on tobacco virus synthesis, 77
Cylindrosporium rubi, conidial stage of Sphaerulina rubi, 997
Cypress, Italian (see Cupressus sempervirens)
Cyrtopeltis varians, distribution, 614
tomato stem "red ring" due to, 613

DAINES, ROBERT H., 410
Daldinia sp., cordwood decay by, calorific and chemical study, 46
Damping-off, cotton Pythium, 607
cotton Rhizoctonia, 51
Macrophomina-induced, 1113
by oomycetes, antibiotic relations among pathogens, 261
of pine in nursery, 11
post-emergence-, vegetable seed protectants for, 14
preemergence-, measure of, seedling germination rate/fungus growth rate as, 7
sodium nitrite soil treatments for, 1110
Dandelion, Russian, bacterial leaf spot (new), 959
DARLEY, ELLIS F., 328
Daucus spp., Cercospora carotae on, general study, 114
DAVIDSON, ROSS W., 965
DAVIS, WILLIAM C., 338
Deciduous tree nursery stock, root rot and control, 656
Decline disease, raspberry virus-, symptoms, transmission and control, 156
Deficiency diseases, boron, of apple, 2
in California crops, 939
of olive, 933
in rutabaga, control, 8
Delphiniums, bacterial crown, stem and bud rots, factors influencing, 806
varietal reactions, 810
Sphaerotheca humuli var. fuliginea on, distribution and rapid identification, 832
DEMAREE, J. B., 986
Dewberry, Haplosphaeria stamen blight, distribution, symptoms, pathogenesis and control, 136
Septoria rubi leaf spot, 1002
DE ZEEUW, D. J., 530
DIACHUN, STEPHEN, 3, (1120)
Dicotyledons, mycorrhizas of, in Colorado, 146
Die-back, pine Diplodia, 1018
DIMOCK, A. W., 3, 372, 745
DIMOND, ALBERT E., 18, 1095
Diplocarpon rosae, on rose, mineral nutrition effects, 1185
water-soluble fungicide for, 1097
Diplodia macrospora, with scolecospores, on corn in Md., 528
pinea, on hard pines, taxonomy, hosts, distribution and pathology, 1018
pine nursery and mature tree blight due to, 390
on soft pines, significance, 828
zeae, on corn, inoculation method, 16
seed treatment by mercury vs. nonmetallic dusts, 602
Diseases (plant), bacterial identification by bacteriophage, 1019
coacervates in, origin and artificial production, 739
deficiency (see Deficiency diseases)
escape, heritable, in tobacco mosaic on Lycopersicum chilense and hybrids, 19, 691
grass-, on fine turf, control studies, plat technique, 528
incidence, age effects in tomato early blight, 1177
in living wood, detection by dyes, 20
mushroom-, resistance to, mechanism, 13
pea-, survey in Wis., 15
physiological (see Physiological diseases)
regulatory work and foreign, committee report, 422
seed-borne, of forest trees, book review, 338
symptoms in virus-, acute vs. chronic, 8
vascular, therapy, internal chemical, 16
Disodium ethylene bisdithiocarbamate, as water-soluble protectant fungicide, 1095
Distribution of: Alternaria zinniae, 372
Armillaria fruit tree root rot, 812
Beauveria bassiana on elm insects in U. S. A., 76
carnation mosaic, 823
cereal seed-borne diseases, 1011
Chalara sp. on oaks, 18
cherry rasp leaf, 622
Cyrtopeltis varians, 614
Diplodia macrospora, 528
Diplodia pinea, 1020
Fusarium wilts of cotton, sweet potato and tobacco, 469
Gloeocercospora sorghi, 222
Haplosphaeria deformans, 136
Helminthosporium sativum, 4
Peronospora tabacina, 108
Puccinia carthamni, 789, 792
Pythium myriotylum, 261
Ribes spp., 4
Sclerotinia laxa, 1213
Septoria oudemansii, 745
Sphaceloma violae, 168
Sphaerotheca humuli var. fuliginea, 832
Titaeospora andropogonis, 220
Uromyces betae, 10
Ustilago spp. on barley, 196, 205, 206
Ustilago nigra, physiological races, 326
Ditylenchus dipsaci, on onion, pathogenesis, 61
strain on alfalfa, white clover, and sweet clover, 525
Dodder, cranberry false blossom transmitted by, 19
DRECHSLER, CHARLES, 227, 261
Dry rot, potato Fusarium, charcoal rot association, 1120
DUBUY, H. G., (20), (637), 766
DUFRENOY, JEAN, (3), (531)
DUNLAP, A. A., 1205
Dutch elm disease (see Ceratostomella ulmi)
Dyes, abnormal tissues in living wood detected by, 20

EDGERTON, C. W., (1), (2), (220)
Eggplant, Phomopsis blight, Fermate-talc dust control, 1117
Verticillium wilt, internal therapy, 16
EHRLICH, JOHN, (517)
Elgetol, as eradicant for pear sooty blotch, 1117
ELLETT, C. W., 407
ELLIOTT, CHARLOTTE, 18
ELLIS, D. E., 1110

Elm, Dutch elm disease, internal therapy, 16
spore dosage and response in, logarithmic-probit relations, 1121
toxin of, virus compared, 20
insects of, Beauveria bassiana distribution in U. S. A. on, 76
mosaic, graft-transmissible, 1196
Elsinoë **n. sp.**, mango scab due to, 1
veneta, perfect stage of Gloeosporium necator, 1115
Elymus spp., smuts of cereals on, reactions to, 912
Endothia parasitica, on chestnut, breeding for resistance, 18
Ergot, epidemics of, technique of producing, 1116
on Zizania, 12
Erwinia carotovora, orchid soft rot due to, 80
potato charcoal rot association, 1120
phytophthora, delphinium crown, stem, and bud rots due to, factors influencing, 806
Erysiphe graminis, races, pathogenicity on Hordeae, 5
polygoni, fungicidal action on, factors in, 1148
ribbon-bush powdery mildew due to (?), 745
Etch, tobacco, hosts (exp.), 1114
Ethide, soil sterilization by, wetting agent effects on, assay, 11
Ethyl ether, fungicidal action of vapor, 445
Ethylene dichloride, soil sterilization by, wetting agent effects on, assay, 12
Evolution, of viruses, 20, 637, 767
EXNER, BEATRICE, 3, 171
Experimental technique (see under Technique)

False blossom, cranberry-, transmission from tomato by dodder, 19
FAWCETT, H. S., 837, (865)
FELDMAN, A. W., 1111
Fermate, apple frog-eye leaf spot control by, 1116
apple rust control by, 5
apple scab control by, 5
as cherry pre-harvest spray, 683
grape downy mildew control by, 13
peach disease control by, 962
seed-protectant value, 9
talc dust for eggplant blight, 1117
tomato anthracnose control by, 1120
tomato early blight control by, 1119
as vegetable seed protectant, 14
Fermate-Pyrax AAB mixture, tomato early blight control by, 1119
Ferric-dimethyl-dithio-carbamate (see Fermate)
Fig, mosaic spot, 719
FISCHER, GEORGE W., 910
FISHER, ELLSWORTH, (1109)
Flax, diseases, boron effects on, 1113
seed treatment, seed injury vs., 1117
by Spergon, 332
Flower production, mineral nutrition effects on rose-, 1185
Fluids, plant-, anaerobic collection method, 129
fluorescens (Pseudomonas), 1091
Fomes spp., as influenced by western red cedar heartwood extracts, 518
pinicola, black cherry rot due to, general study, 981
Foot rot, wheat Helminthosporium, 4
FORBES, I. L., 3, 713
Forestry, tree seeds, book review, 338
Formaldehyde, soil adsorption, 12
soil sterilization by, wetting-agent effects on, assay, 12
FOSTER, ADRIANCE S., 623
FOSTER, H. H., 403
FRACKER, S. B., 4
Freezing, viability of fungi and spores preserved by, 612
FRIEDMAN, BERNARD A., (80)
Fruit trees (see under Trees)
FULTON, ROBERT W., 674
Fumigants, for mushroom truffle disease, 13
soil-, for root knot, 1118, 1166
wetting-agent effects on, assay, 12
soil adsorption, 12
Fungi (see also Mycology)
on air-exposed slides, identification, 75
antibiotic relations in oomycetes, 287
on cereal seeds, heat treatment for, 333
in culture, maintenance technique, 330
growth, reflector scale for measuring, 619
as influenced by vitamins and growth substances, 724
inheritance in (see under Genetics)
media for, agar substitute, 617
spores, eradicant action of fungicides for, on living leaves, 1190
toxins of viruses vs., 20
viability of spores and, preservation by quick freezing and storage, 612
wood-rotting, calorific and chemical effects, 45
as influenced by heartwood extracts of western red cedar, 517
preservatives against, 17
Fungicides (see also Pesticides)
assay, of Bordeaux, 633
correlation of greenhouse and laboratory methods, 15
of effectiveness, 5
factors influencing, 1154
laboratory-greenhouse method, 19
slide-germination method for protectant, 627
Catex, for onion smut control, 9
cationic quaternary NH_4 compounds as, 1115
comparisons of lime, $CuSO_4$ and Bordeaux, 1146
copper-, Bordeaux, action as influenced by lime and host leaves, 1146
guttation-fluid effects on, 1110
physical characters vs. quality, 497
standard laboratory mixture, preparation and use, 633
weathering vs. preparation method, 503
early use in U. S. A., 258
effect on apple growth and yield, 56

for grapes, disease control vs. spray injury, 13
particle size, infection control vs., 533
protective value and retention, field and lab. comparisons, 899
status of fixed-, 1121
efficiency, coverage factor, determination technique, 1114
eradicant, action on fungus spores on living leaves, 1190
chlorophenates as, on stone fruits, 1120
for Coryneum beijerinckii, 506
Elgetol as, for pear sooty blotch, 1117
mechanism of action, determination techniques, 1194
for Sclerotinia laxa, 506
Fermate (see Fermate)
ferric - dimethyl - dithio - carbamate, (see Fermate)
field testing on fruit trees, technique, 13
juglone, evaluation, 1112
on leaves, redistribution significance, 5
mercurial, cationic phenyl compounds as apple scab eradicants, 1114
corn seed treatment by, non-metallic dusts compared, 602
soil-application effects on banana vs. Fusarium oxysporum cubense, 835
vapor action, 431
mercurial organic, seed treatment for cereal diseases by, 1064
new-type spray equipment for, efficiency, 1114
organic, for downy mildew of lima bean, 2
in pre-harvest cherry sprays, 683
sweet potato scurf control by, 410
particle size, determination, 8
phytocidal action, 1149
reports of Committee on Standardization of Tests, 624, 627, 633
seed-protectant, organic vs. inorganic, 9
slide-germination method of assay, 627
seed-treatment, for cereal diseases, 1064
for peas, 1098
sodium nitrite for damping-off, 1110
soil-, for Fusarium oxysporum cubense, 398
on soy bean, effects on emergence, stand and yield, 1113
standardization of tests, committee report, 424
sulphur, effect on: apple growth and yield, 2, 56
apple scab, 1119
particle size, infection control vs., 533
for Phymatotrichum sclerotia, 1205
sulphur (elemental), effects on white clover composition by rust and, 401
synergism and antagonism between, significance, 18
terms, definitions, 624
tetrachloro-para-benzoquinone (see Spergon)
tetra - methyl - thiuram - disulphide (see Thiosan; Jap Beetle Spray)
Thiosan (see Thiosan)
vapor action of dust-, on seed-borne fungi of cotton, 431
for vascular diseases, internal therapy, 16
volatile vs. nonvolatile, for oats smuts, 1112
water-soluble protectant, disodium ethylene bisdithiocarbamate as, 1095
wood preservative-, new adaptations, 17
zinc sulphate-lime effect on protective value, 1113
Fungistatic action, of 8-hydroxyquinoline, mechanism, 1121
Fusarium spp., on cereals in Manitoba, 1111
on cotton vs. sweet potato vs. tobacco, 478
in deciduous nursery tree root rot and control, 656
mushroom disease role, 1090
pea infection by soil-borne, soil and seed treatments for, 1098
potato charcoal rot association, 1120
wheat "black point" role 1112
bulbigenum var. batatas, on sweet potato, 469
var. lycopersici, host-parasite relations of mild vs. virulent forms, 186
inhibition by tomato-plant sap, 1111
pathogenicity, variations and factors in, 175
toxic effects of extracts of mild vs. virulent, 1004
toxin in sap of infected tomato, 4, 126
moniliforme, cotton hypocotyl infection, histopathology, 666
fungicidal vapor effects on, 431
oxysporum, physiologic races, 481
in wilt of cotton vs. sweet potato vs. tobacco, 469
f. conglutinans, on cabbage, host nutrition role, 15
cubense, as influenced by soil and chemical mixtures, 398
lysis by Actinomyces sp., 403
soil application of mercurials as affecting banana plants vs., 835
var. nicotianae, on tobacco, 469
retusum n. sp., tomato vascular wilt due to, 957
vasinfectum, on cotton, pathogenicity, 469
root knot and, soil amendment effects, 10

Genetics (see also Breeding; Mutation)
bean-, mosaic symptoms expression, 16
fungus-, interspecific hybridization, 584
segregation in basidiospores, 3
Sorosporium, 569
Sphacelotheca, 569
Ustilago, 749, 943
Venturia, 11, 19
of klendusity to tobacco mosaic, 19, 691
Germination, spore-, method for Agaricus, 530
Gibberella zeae, on corn, inoculation method, 16
GLICK, D. P., (245)
Gloeocercospora sorghi n. gen. and n. sp., sorghum zonate leaf spot due to, 225

Gloeodes pomigena, on pear, Elgetol as eradicant, 1117
Gloeosporium sp., in tobacco anthracnose, 15
necator, G. venetum vs., taxonomic status and Rubus anthracnose role, 1115
venetum, G. necator vs., taxonomic status and Rubus anthracnose role, 1115
Glomerella cingulata, on lupines, 249
on tomato, control by Fermate, 1120
gossypii, cotton hypocotyl infection, histopathology, 666
fungicidal vapor effects on, 431
Glomerularia lonicerae, life history and pathogenicity, 4
on Lonicera, reactions of spp. and vars. to, 4
GOODWIN, M. W., 1114
Gossypium spp., Puccinia stakmanii (exp.) on, 387
Rhizoctonia on, 155
GOTTLIEB, DAVID, 4, 126, (619), 724, 1111, (1113)
GOULD, C. J., 4
Graft disease, apple Rhizoctonia, 255
Grape, boron deficiency in, 940
copper fungicides for, disease control vs. spray injury, 13
Grasses, Erysiphe graminis pathogenicity to Hordeae, 5
fine turf-, disease control tests on, plot technique, 528
forage-, smuts of cereals on, reactions to, 910
fungus seedling blight and root rot, 234
Gloeocercospora sorghi on, 221
Kentucky blue- (see Poa pratensis)
redtop- (see Agrostis alba)
smuts, chlamydospore germination, temp. effects, 7
culture of fungi, 7
Sorosporium and Sphacelotheca, genetical, cytological and cross inoculation study, 569
Typhula snowmold, general study, 1157
GRAVES, ARTHUR HARMOUNT, 18
GREANEY, F. J., 4, 1064, 1111
Green stinkbug, Nematospora phaseoli association, 1209
GRIES, GEORGE A., 1111, 1112
GRIFFITH, ROBERT B., 745
Growth, fungus-, reflector scale for measuring, 619
Growth substances, effect on rust fungi, 724
pathological growths and symptoms due to, comparisons, 1119
wax bean blossom drop reduced by, 1109
GRUENHAGEN, R. H., (11), 1112
Guignardia bidwellii, on grape, copper fungicides for, control vs. spray injury, 13
Guttation fluids, effects on: foliage, 1110
pesticides, 1110
Gymnosperms, mycorrhizas of, in Colo., 146
Gymnosporium juniperi-virginianae, fungicidal control, by Fermate, 5
particle size vs., 533
sporidia, preservation of viability by quick freezing and storage, 612
HAHN, GLENN GARDNER, 341
HAMILTON, J. M., 5, 533, 612, (683)
HAMM, PHILIP, 619
HANSING, E. D., 1112
HANSON, E. W., 1112
Haplosphaeria deformans, stamen blight of blackberry and dewberry due to, distribution and general study, 136
HARDISON, JOHN R., 5
HARE, W. W., 15
HARROLD, THOMAS J., 666
HART, HELEN, 335, 484, (724), 1113
HARTER, L. L., (16)
Heartwood, western red cedar-, effect of extracts on wood-destroying fungi, 517
Heat injury, effect on potato soft rot in transit, 1117
Heat treatment, for fungi on seeds, 333
Hedera helix, Sphaceloma leaf scab, 1109
Helminthosporium spp., on cereals, in Manitoba, 1111
on corn, inoculation method, 16
wheat "black point" role, 1112
avenae, on oats, seed treatments for, 1064
sativum, grass seedling blight and root rot due to, 238
on seed of barley and wheat, in Canada, 4
seed treatments for, 1064
wheat kernel smudge due to, varietal reactions, 4
turcicum, dent corn leaf blight due to, 407
on inbreds and hybrids, 18
HENRY, A. W., 332
HENRY, BERCH W., 18
HENRY, WENDELL D., (1119)
Heterodera marioni, control, by chloropicrin fumigation of soil, 1166
by sodium nitrite soil treatments, 1110, 1111
on cotton, Fusarium and, soil amendment effects, 10
on tomato roots, treatment for greenhouse control, 6
HEUBERGER, J. W., (13), 18, (1095), 1113, (1190)
Hibiscus sp., Phytomonas leaf spot, 82
Puccinia stakmanii (exp.) on, 387
HILBORN, M. T., 45
HILDEBRAND, E. M., 6, 18, 167
HINES, LEE, (884)
HOFFMASTER, D. E., 1113
HOLMES, FRANCIS O., 19, 691, 1114
HOLTON, C. S., 169, 732, (910)
Homalocladium platyeladum, Erysiphe powdery mildew on, 745
HOOKER, W. J., 15
HOPPE, PAUL E., 528, 602
HOPPERSTEAD, S. L., 1114
Hordeum jubatum var. caespitosum cereal smuts on, reactions to, 915
HORNE, W. T., (719)
HORSFALL, JAMES G., (16), (18), (1095), 1114, 1121
HOWARD, F. L., 6, 12, 1114, 1115
HUMPHREY, H. B., 531
Hybridization, fungus, interspecific, 584
8-Hydroxyquinoline, mechanism of fungistatic and bacteriostatic action, 1121

Hyperparasitism, in oomycetes, 287
Hypoxylon pruinatum, on aspen, life history vs. pathogenicity, 1112

IMMER, F. R., 253
Immunity, from virus, acquirement in tobacco, 598
Inactivators, "non-toxic," effect on viruses of plants, 675
Inheritance (see under Genetics)
Insecticides (see also Pesticides)
new-type spray equipment for, efficiency, 1114
Insects, elm-, Beauvaria bassiana on, distribution in U. S. A., 76
Insects as vectors of: carnation mosaic (?), 826
cherry yellows by leaf hoppers, 466
Nematospora phaseoli, green stinkbug association, 1209
phlox "breaking," by aster yellows via leaf hoppers, 741
pineapple yellow spot by thrips, 408
potato purple-top wilt, by aster yellows via leaf hoppers, 16
potato yellow dwarf, by Aceratagallia sanguinolenta, 17, 363
by Agallia constricta, 17
specificity of leaf hoppers to vars. of, 1110
virus varieties, specificity, 17
IRISH, C. F., (1196)
Ivy, English (see Hedera helix)

Jap Beetle Spray, in preharvest cherry sprays, 683
JENKINS, ANNA E., (1), 6, 168, 404, (1109), 1115
JOHANN, HELEN, 526
JOHNSON, A. G., (169)
JOHNSON, E. M., (3), (210), (1120)
JOLIVETTE, J. P., (778)
Juglans spp., juglone fungicide from, 1112
nigra, root rot of nursery trees, causes and control, 656
Juglone, fungicidal value, 1112

KEIL, H. L., (1115)
KEITT, G. W., 6, 19, 449, 1115, 1212, 1213
Kernel smudge, wheat-, 4
KERNKAMP, M. F., (943)
KING, C. J., (382)
KING, T. H., (943)
KLEIN, HAROLD P., (314)
Klendusity, heritable, to tobacco mosaic in Lycopersicum chilense and hybrids, 19, 691
KLIGMAN, A. M., 1090
Knobby bark, citrus-, virus (?) origin, 862
KOCH, KARL, 19
KOTILA, JOHN E., 6
KOUBA, T. F., (11)
KREITLOW, K. W., 7, 707, 1055
KREUTZER, W. A., 245
KUNG-HSIANG LIN (see LIN)
KUNKEL, L. O., 19

LANGFORD, M. H., (19)
Larkspur, rocket-, bacterial bud and stem rots, factors influencing, 806
varietal reactions, 810
LARSON, R. H., 1116, 1216
LEACH, J. G., (14), 339, (406), 747, 1116, (1119), 1209
LEACH, L. D., 7
Leaf blight, sugar beet Corticium, 6
Leaf blotch, oats Helminthosporium, 1064
Leaf curl, peach-, 259
Leaf disease, Kentucky bluegrass-, Septoria-induced, 745
Washington palm bacterial (new), 1201
Leaf hoppers, as vectors of: aster yellows virus to phlox, 741
cherry yellows, 466
potato yellow dwarf, 363
potato yellow dwarf vars., 1110
Leaf scab, English ivy Sphaceloma, 1109
Leaf spot, apple frog-eye-, 1116
cantaloupe physiological-, root aeration role, 162
cherry-, 9, 1115
dandelion (Russian) bacterial, 959
hibiscus Phytomonas, 82
oats Pseudodiscosia, 165
plum-, noninfectious heritable disorder of Beaty var., 1101
raspberry "Septoria," Sphaerulina rubi (new) causing, 986
rice Cercospora, 70
sorghum zonate-, 220
of Terminalia arjuna, fungus etiology (?), 404
tobacco bacterial, 3, 1120
tobacco Cercospora, 354
LEAR, BERT, 1118
Leaves, area estimation technique, on potato, 922
on sugar beet, 1071
copper absorption by, fungicidal protection role, 1151
fungicide redistribution on, significance, 5
guttation-fluid effects on, 1110
LEHMAN, S. G., 431
Lentinus lepideus, as influenced by heartwood extracts of western red cedar, 518
LEONARD, O. A., (10)
Lettuce, Rhizoctonia damping-off, sodium nitrite soil treatments for, 1110
LEVINE, MICHAEL, 8
LEVINE, M. N., 1118
LEWIS, RALPH W., 1116
Leytosan, fungicidal action of vapor, 445
Lightning injury, to cotton, types, symptoms, and effects, 150
LIMBER, DONALD P., 80
LIN, KUNG-HSIANG, 394
LINCOLN, F. B., (255)
LINFORD, M. B., 408
Liriodendron tulipifera, root rot of nursery trees, causes and control, 656
Locust, black- (see Robinia pseudoacacia)
LOEGERING, W. Q., (12), (253), (884), (1118)
LOJKIN, MARY E., 8
Lonicera spp., Glomerularia lonicerae on, reactions to, of spp. and vars., 4

LOWTHER, C. V., (406), (1116)
Lupinus spp., Botrytis cinerea on, 319
angustifolius, anthracnose, 249
Lumber (see Wood)
Lycopersicon spp., Alternaria blight vs. "physiological" maturity, 1
chilense, tobacco mosaic klendusity (heritable) in hybrids and, 19, 691
Lygus sp., blossom drop in wax bean associated, 1109
LYLE, J. A., 1116
Lysis, of Ustilago promycelia, heritable, 751

MCCALLAN, S. E. A., (15), 19, 424
MCCUBBIN, W. A., 422
MCDONNEL, A. D., (1114)
MCFARLANE, JOHN S., (1104)
MCKINNEY, H. H., 8, 300, 551, 1045
MACLACHLAN, J. D., 8
MCLAUGHLIN, J. H., (1113)
MCLEAN, RUTH A., 354
MCNAMARA, H. C., (10)
MCNEW, GEORGE L., 9
MACHACEK, J. E., (4), (1111)
MACK, G. L., (5), 8, (533)
Maclura pomifera, root rot in nursery, causes and control, 656
Macrophomina phaseoli, dry rot of crops due to, in southern U. S. A., 1113
Macrosporium solani, on tomato, spray control, factors influencing, 9
Macrosteles divisus, as vector of: aster yellows, to phlox, 741
to potato, 16
MADER, E. O., 1134, 1185
Magnolia grandiflora, Sphaceloma scab (new) on, 6
Malignancy, in animal vs. plant tumors, 98
Malva parviflora, Puccinia stakmanii (exp.) on, 387
Mango, Elsinoë scab, 1
MANNS, T. F., (1113)
Manures, effect on Fusarium-root knot-attacked cotton yields, 10
Maple, red- (see Acer rubrum)
Verticillium infection, internal therapy, 16
Marmor tabaci, cyanide effects on synthesis, 77
klendusity to, in Chilean tomato and hybrids, 691
vastans, clover leaf hopper transmission relations, 363
varieties, vector specificities for, 17
MARTEN, E. A., 406
MARTIN, W. J., 75, 569, (943)
Melilotus alba, Ditylenchus dipsaci strain on white clover, alfalfa and, 525
Melons, honeydew, anthracnose as influenced by packing methods, 245
Mercurials, fungicidal (see under Fungicides)
MEREDITH, CLIFFORD H., 398, 403, 835
Microorganisms, toxicity of crop residues in relation to, 1111
Mildew, bean powdery-, 1148
cucumber powdery-, 1147
delphinium Sphaerotheca powdery-, 832
grape downy-, 13
grape powdery-, 13
grass powdery-, 5
Homalocladium platycladum powdery-, 745
Lima bean downy-, 2
rose powdery-, 1097
tobacco downy-, 101
MILLER, HAROLD J., 9, 899
Millet, Ustilago crameri on, pathogenesis, 1129
MILLS, P. J., (713)
Minuor **rubrorum** n. sp., raspberry decline virus, 161
Mirid, tomato "red ring" due to, 613
MITCHELL, J. E., (619), (1113)
Mites, mushroom "bacterial pit" role, 1092
Mitochondria, virus evolution from derivatives and, chemical evidence, 766
cytological and genetical evidence, 637
Mitra, Manoranjan, biographical note, 429
Mold, cherry gray-, 683
Moniliochaetes infuscans, on sweet potato, fungicidal control, 410
MOOK, PAUL V., 76
MOORE, J. DUAIN, (6), (1115), (1212), (1213)
MOORE, M. B., 423, 1117
MOORE, W. D., 797, 1176
Morus alba f. tatarica, root rot in nursery, causes and control, 656
Mosaic, bean, productivity and quality of resistant snap varieties, 778
virus-4, symptom expression, genetics of, 16
carnation, symptoms, virus nature, transmission and distribution, 823
cucumber, virus, passage from cion to stock, contact period effects, 818
sensitivity to inactivators, 675
elm (American) graft-transmissible, 1196
pea bean-, new, 1215
Plantago virus, reactions of resistant tobaccos to, 564
potato X-, foliar mottle and necrosis in Chippewa var. associated with strain of, 1116
sugar cane, internal breakdown associated, 3
re-infection of recovered plants, 713
virus disappearance from recovered plants, 713
tobacco, genotypes resistant to, 300
klendusity to, in Chilean tomato and hybrids, 691
N and N′ factors in relation to, 14
reactions of resistant vars. and spp. to strains and mutants, 551
tomato derivatives escaping, 19, 691
virus, cyanide effects on synthesis, 77
origin and relationships, 219
sensitivity to inactivators, 675
virus-1, acute and chronic phases and factors influencing, 1052
virus-protein, colorimetric determination, 8

yellow-, acute and chronic phases and factors influencing, 1045
variegation resembling, in snap beans, 779
"white," reactions of resistant tobaccos to, 563
yellow virus, type-B, reactions of resistant tobaccos to, 564
type-C, reactions of resistant tobaccos to, 565
Mosaic spot, of figs, 719
MOSES, C. S., (18)
Muhlenbergia arenacea, Puccinia stakmanii (exp.), on, 387
MULLER, A. S., (1086)
Mummy disease, mushroom-, description and etiology, 1090
MUNCIE, J. H., (1071)
Mushroom, diseases, 1090
resistance to, mechanism, 13
fructification and production, inhibitory factors, 1134
truffle disease, control by ammonia, 13
Musivum tabaci var. **plantaginis** n. comb. (= Plantago virus), 219
Mutation (see also Breeding, Genetics)
in Ustilago, 760
in Venturia, 11, 19
Mycology, Saccardo's Sylloge Fungorum, note on reprinting of, 635
Mycorrhizas, forms and hosts in Colorado, 144
Mycosphaerella rubi, as perfect stage of Septoria rubi, 1002

NATIONAL RESEARCH COUNCIL, Division of Biology and Agriculture, committee report on, 420
Necrosis, apple internal bark-, boron vs., 1
Necrotic-cavity corky bark, citrus-, virus (?) origin, 860
Nemacides, fumigant, for root knot, 1118
chloropicrin as, 1166
sodium nitrite, for root knot, 1110, 1111
Nematodes (see also Ditylenchus; Heterodera)
Nematospora phaseoli, on Lima bean, association with green stinkbug, 1209
New Improved Ceresan, fungicidal action of vapor, 431
New Improved Semesan, Jr., corn seed treatment by, 602
NEWHALL, A. G., 9, 61, (1118)
NEWTON, MARGARET, 10
Nezara hilaris, Nematospora phaseoli association, 1209
Niacin, effect on rust fungi, 724
Nicotiana spp., Phytophthora parasitica nicotianae resistance in, 403
virus-strain reactions of resistant, 551
glutinosa, N factor in, effect on mosaic expression, 14
rustica, potato yellow dwarf on, local lesion factors, 1121
tabacum, chromosomes, N and N′ factors, relative positions, 14
Nicotiana virus-1, reactions of resistant tobaccos to strains and mutants, 551
in tobacco, acute and chronic phases and factors influencing, 1052
genotypes resistant to, 300
Nicotiana virus-6, reactions of resistant tobaccos to, 565
Nicotiana virus-12, reactions of resistant tobaccos to, 565
NIEDERHAUSER, JOHN S., 959
NIELSEN, L. W., 1117
Nucleoproteins, plastid-, virus nucleoprotein evolution from, 774
properties, 772
Nursery trees, deciduous, root rot and control in, 656

Oaks, Chalara sp. causing rapid dying, 18
bur- (see Quercus macrocarpa)
Oats, Alternaria on seeds, storage temp. effects, 333
covered smut, seed treatment by Spergon, 332
Oats, crown rust pathogenesis, cytochemistry, 531
Pseudodiscosia leaf spot, in Turkey, American form compared, 165
seed-borne diseases, seed treatments for, 1064
smuts, physiologic races, exptl., 14
seed treatments for, volatile vs. nonvolatile fungicides, 1112
stem rust, races in U. S. A., 1118
reactions as influenced by vitamins and growth substances, 724
Oil, mineral-, in culture maintenance, 330
Olive, boron deficiency in, general study, 933
Onion, nematode injury, pathogenesis, 61
smut, control by Catex, 9
Oomycetes, hyperparasitism among, 287
Oospores, Pythium, Trichothecium parasitizing, 232
Orange (see also Citrus)
boron deficiency in, 939
Orchids, Erwinia soft rot, 80
mycorrhizas of, in Colorado, 147
Ornamentals, Verticillium-free clones, establishment, 3
Orobanche ludoviciana, tomato parasitized by, 257
OSBORN, JOHN H., (372)
Overgrowths, plant-, chemical factors in, 1119

Palm, Washington-, bacterial leaf disease (new), 1201
PALMITER, D. H., (5), (533), 683, 1117
Panama disease, banana-, 835
Panicum spp., smuts of, cross inoculations, 571
Panus stipticus, cordwood decay by, calorific and chemical study, 46
Para Bacca, fungicidal action of vapor, 445
Parasitism (see Antagonisms, etc.)
Particle size, determination in fungicides, 8
Pasmo disease, flax-, 1113
Pasture plants, tobacco leaf-spot bacteria on roots of, 1120
Pathogenesis, toxin role, in tomato Fusarium wilt, 126

Pea, diseases, survey in Wis., 15
seed protectants for, 14
seed and seedling diseases, soil and seed treatments for, 1098
Peach, Armillaria root rot in eastern U. S. A., 812
diseases, control by Fermate, 962
fungicides on, field testing technique, 13
leaf curl, early records in U. S. A., 259
Sclerotinia blossom blight, temp. and humidity effects, 15
suture spot, new fruit disease (cause unknown), 167
yellow-red virosis, symptoms, techniques for localizing and intensifying, 18
virus, fungus toxins compared, 20
Peanut, Macrophomina dry rot, 1113
Pear, sooty blotch, Elgetol as eradicant, 1117
PENNY, J. S., (1090)
Permeability, in rust resistance mechanism, 14
Peronospora spp., species characterization, bases, 112
nicotianae, status, 106
tabacina, characterization, morphology vs. pathogenicity in, 109
distribution, 108
Pestalotia disseminata, on Terminalia arjuna, 404
Pesticides, guttation-fluid effects on, 1110
PETURSON, B., (10)
Phlox, annual, aster yellows infection via leaf hoppers, 741
Phlox drummondii, aster yellows infection via leaf hoppers, 741
Phoma terrestris, corn pink-root infection due to, 526
Phomopsis sp., on Terminalia arjuna, 404
vexans, on eggplant, Fermate-tale dust control, 1117
Photoperiodism, effect on wheat bunt, 240
Phyllosticta sp., on Terminalia arjuna, 404
Phymatotrichum omnivorum, sclerotia, inhibition by S autoclaved with soil, 1205
Physalis subglabrata, tobacco etch on, 1114
Physalospora tucumanensis as perfect stage of Colletotrichum falcatum, 2
Physiological disease, cantaloupe leaf spot, root aeration role, 162
"Physiological" maturity of tomato, 1
Physiological races of: Cercospora oryzae, 70
Erysiphe graminis, 5
Fusarium oxysporum, 481
Puccinia graminis avenae, 724, 1118
Puccinia graminis tritici, 253, 335, 485, 724, 884
Urocystis agropyri, 919
Urocystis tritici, 169
Ustilago, 14
Ustilago nigra, 324
Phytolacca decandra, extract, effect on viruses of plants, 675
Phytomonas spp., growth in synthetic medium as taxonomic aid, 314
poinsettiae, greenhouse dissemination, 10
sepedonica, culture maintenance, 330
isolation, differential medium for, 406
solanacearum, nitrogen utilization, forms and concentrations, 14
stewartii, dent corn leaf blight due to, 407
syringae, hibiscus leaf spot by, 82
tolaasi, mushroom blotch due to, 1093
tumefaciens, absence from secondary tumors, 85
pathological growths by chemicals resembling those by, 1119
washingtoniae n. sp. leaf disease of Washington palm due to, 1203
phytophthora (Erwinia), 806
Phytophthora infestans, on potato, severe infection on Sebago var., 1104
on tomato fruit, effect on leaf blight spray control, 9
parasitica nicotianae, resistance of Nicotiana spp. to, 403
Picric acid crystals, fungicidal action of vapor, 445
PIERCE, E. C., 162
Pierstorff, Arthur Lewis, biographical note, 430
PINCKARD, J. A., 10
PINE, LEO, 1201
Pine(s), hard-, Diplodia pinea on, pathology and distribution, 1018
red- (see Pinus resinosa)
soft-, Diplodia pinea on, significance, 828
Sphaeropsis malorum on, significance, 828
white-, (See Pinus strobus)
Pineapple, yellow spot, plant spacing vs. incidence, 408
wind-blown vector, 410
Pink roots, on corn, Phoma terrestris causing, 526
Pinus spp., Diplodia blight of nursery and mature trees, 390
Diplodia pinea on, pathology and distribution, 1018
significance, 828
diseased regions in, determination by dyes, 20
nonconducting tissues, determination by dyes, 20
Sphaeropsis malorum on, significance, 828
resinosa, damping-off in nursery, seed dust-soil treatment for, 11
strobus, blister rust on, red currant role, 341
selection for resistance, 11
PIRONE P. P., 10
Pit, mushroom "bacterial," mite role, 1092
PLAKIDAS, A. G., 1117
Plane tree, London- (see Platanus acerifolia)
Plantago virus, in burley tobacco, 210
origin and relationships, 219
reactions of resistant tobaccos to, 564
in tomato (exp.), 216
Plants, sap, anaerobic collection method, 129
anatomy, book review, 623

coacervates in cells, origin and artificial production, 739
residues, effect on root diseases, 1111
Plasmopara viticola, conidia, preservation of viability by quick freezing and storage, 613
on grape, copper fungicides for, control vs. spray injury, 13
Plastids, virus evolution from nucleoproteins of, chemical evidence, 766
Platanus acerifolia, bacterial rot of winter-injured wood, 963
Polyporus infection of winter-injured wood, 963
Plectospira myriandra, Pythium attacked by, 291
Plum, noninfectious heritable leaf-spot and shot-hole of Beaty var., 1101
Plum-cherry hybrids, Sclerotinia fructicola from, variation in single-spore isolates, 1118
Poa pratensis, Septoria oudemansii leaf infection, 745
stripe smut, chlamydospore germination, temp. effects, 7, 1055
host development vs. temp., 1055
Poinsettia, bacterial infection, greenhouse dissemination, 10
poinsettiae (Phytomonas), 10
Polyporus spp., black cherry rots due to, general study, 984
cordwood decay by, calorific and chemical study, 46
as influenced by heart wood extracts of western red cedar, 518
versicolor, in winter-injured plane tree wood, 963
Pome fruits, Armillaria root rot, in eastern U. S. A., 813
Poria spp., black cherry rots due to, general study, 984
xantha f. crassa, as influenced by heartwood extracts of western red cedar, 518
PORTER, RICHARD, P., 1117
Potassium cyanide, effect on tobacco virus synthesis, 77
Potato, Andean fungus disease, preliminary report, 1086
Potato, bacterial ring rot, culture of pathogen, 1118
maintenance, 330
general study of organism, 1032
isolation of organism, medium for, 406
survival of pathogen in storage, 1110
charcoal rot, Sclerotium bataticola causing, 1120
early blight, zinc sulphate-lime effect on fungicidal control, 1113
foliar mottle and necrosis of Chippewa-, potato X-virus strain associated, 1216
late blight, severe on Sebago var., 1104
leaf area, estimation technique, 922
leaf roll, effect on leaf area increase, 932
Macrophomina dry rot, 1113
purple-top wilt, aster-yellows virus causing, 16
transmission by Macrosteles divisus, 16
ring spot, virus, sensitivity to inactivators, 675
seed-, virus disease control in, 19
soft rot in transit of early, sunscald role, 1117
southern (Corticium) blight, description and soil moisture relations, 615
X-virus, foliar mottle and necrosis in Chippewa var. associated with strain of, 1116, 1216
yellow dwarf, on Nicotiana rustica, local lesion factors, 1121
vector specificities for vars. of, 17, 1110
vector transmission relations, 363
Preservatives, wood-, new adaptations, 17
PRESLEY, JOHN T., 382
PRICE, W. C., 10, 586
Prunus (see also Apricot; Peach; Plum; Stone fruits)
cherry yellows on, 459
americana, root rot in nursery, causes and control, 656
cerasus, Sclerotinia laxa imperfect stage on, in Wis., 1212
serotina, cull from decay, causes and factors influencing, 965
decays, managements vs., 977
Pseudobalsamia microspora, on mushrooms, control by ammonia, 13
Pseudodiscosia avenae, on oats in Turkey vs. America, 165
Pseudomonas spp., phytopathogenic, growth in synthetic medium, as taxonomic aid, 315
fluorescens, mushroom mummy disease role, 1090
Pseudomycorrhizas, hosts in Colo., 144
Pseudoperonospora cubensis, fungicidal action on, factors, in, 1147
Psorosis, citrus-, comparative symptomatology of forms of, 837
wood alterations vs. tree deterioration, 865
Puccinia carduncelli, hosts, 792
carthamni, distribution, 789, 791
on safflower, 789
coronata, on oats, pathogenesis, cytochemistry, 531
graminis avenae, as influenced by vitamins and growth substances, 724
races in U. S. A., 1118
secalis, on barley, varietal reactions, 253
tritici, on barley, varietal reactions to physiologic races, 253
as influenced by vitamins and growth substances, 724
physiologic races, population trends (U. S. A., 1930–41), 884
race 15-b, on Triticum timopheevi, 335
resistance to, mechanism, 14
testing for, 897
on wheat, browning reaction, host vars. and rust races vs., 484
regional spread from barberries (1942), wind role, 12

kentrophylli, synonym of P. carthamni (?), 791
stakmanii n. sp., on cotton, 385
distribution, hosts and general study, 385
verruca, on safflower, 794
Punica granatum, Sphaceloma on, 1
Purple-top wilt, potato-, aster yellows causing, 16
tranmission by leaf hoppers, 16
Pyrax AAB-Fermate mixture, tomato early blight control by, 1119
Pythiogeton autossytum, Pythiums attacking, 289
Pythium spp., antibiotic relations among, 287
oomycetes attacking, 287
pine damping-off by, seed dust-soil treatment for, 11
acanthicum, Pythiums parasitized by, 287
graminicolum, grass seedling blight and root rot by, 238
oospores, Trichothecium (new) parasitizing, 232
myriotylum, distribution, hosts, life history and pathogenesis, 261
oomycete parasites of, 289
oligandrum, Pythiums parasitized by, 287
ostracoides n. sp., fungi growing on, 292
on wheat roots, cyto-morphology, life history, and pathogenesis, 275
periplocum, Pythiums parasitized by, 287
ultimum, Aloe variegata root rot by, control by hot water, 736
cotton damping-off by, conditions favoring, 607
pre-emergence damping-off by, measure of, seedling germination rate/fungus growth rate as, 7
seed decay by, protectant fungicides for, 9
water-soluble fungicide for, 1097

Quercus spp., Chalara sp. causing rapid dying, 18
macrocarpa, root rot of nursery trees, causes and control, 656

RADER, WILLIAM R., (9)
RAND, FREDERICK V., 419
RANDS, R. D., 1107
Rasp leaf, cherry-, virus nature, distribution and description, 620
Raspberry, "Septoria leaf spot," Sphaerulina rubi (new) causing, 986
virus decline, symptoms, transmission and control, 156
RAWLINS, T. E., 623
RAY, W. WINFIELD, (17), 51, (1113)
"Red ring" of tomato stems, insect-induced, 613
Redtop (see Agrostis alba)
REED, HOWARD S., 739
Reflector scale, for fungus growth measurements, 619
Regulatory work and foreign plant diseases, committee report, 422
REINKING, O. A., (8)
Reports, American Phytopathological Society (and Divisions) (see under AMERICAN . . .)
Residues, crop-, effect on root diseases, 1111
Resistance, barley, to stem rust races, 253
bean, to mosaic, 778
to mosaic virus-4, 16
cereals, to rust, role of vitamins and growth substances, 724
chestnut, to blight, 18
corn hybrids, to Helminthosporium leaf blight, 408
delphiniums, to bacterial crown, stem and bud rots, 810
grasses, to Erysiphe graminis, 5
Lonicera, to Glomerularia lonicerae, 4
mushrooms, to disease, mechanism, 13
Nicotiana spp., to Phytophthora parasitica nicotianae, 403
pine, to blister rust, 11
red currant, to blister rust, 346
to rust fungi, mechanism, 14
tobacco, to Cercospora leaf spot, 358
to Nicotiana virus-1, 300
real vs. apparent to Cercospora leaf spot, 358
to viruses, 551
tomato, to tobacco mosaic, 691
wheat, to stem rust, 897
Reviews, book, anatomy of plants, 623
forest-tree seeds, 338
REYNARD, GEORGE B., 613
Rhizoctonia spp., damping-off, sodium nitrite soil treatments for, 1110
pine damping-off by, seed dust-soil treatment for, 11
on flax, boron effects, 1113
bataticola, on lightning-injured cotton, 154
solani, alfalfa root canker due to, general study, 1081
basidiospores, segregation in, 174
on cotton, lightning-injured, 154
seed dusting vs. seedling infection, 51
culture variations in single-basidiospore isolates, 3, 171
damping-off by, measure of, seedling germination rate/fungus growth rate as, 7
solani (?), layer and graft infection on apple, 255
Ribbon bush, Erysiphe powdery mildew on, 745
Ribes spp., distribution, measuring local, 4
red currant vars. and, blister rust relations, 341
Riboflavin, effect on rust fungi, 724
RICE, PAUL L., (1114)
RICHARDS, B. LORIN, 1215
RICHARDS, M. C., (1)
RIEMAN, G. H., 1104
RIKER, A. J., 11, (1109), (1119)
Ring rot, potato bacterial, 406, 1110
Ring spot, tobacco, virus, cyanide effects on synthesis, 77
passage from cion to stock, contact period effects, 818
sensitivity to inactivators, 675
RISCHKOV, V. L., 950
ROBERT, ALICE L., (333)

Robinia pseudoacacia, root rot on nursery stock, causes and control, 657
RODENHISER, H. A., 240
Root diseases, crop-residue effects on, 1111
Root knot (see Heterodera marioni)
Root rots, of Aloe variegata, Pythium-induced, 736
in deciduous nursery trees, 656
fruit tree Armillaria, 812
grass fungus seedling-, 234
by oomycetes, antibiotic relations among pathogens, 261
Phymatotrichum, 1205
Roots, aeration, cantaloupe physiological leaf spot role, 162
tobacco leaf-spot bacteria on various plant-, 1120
Rose, black-spot, incidence vs. mineral nutrition, 1185
flower production of own-rooted, mineral nutrition effects, 1185
water-soluble fungicide for black spot and powdery mildew, 1097
ROTH, F. L., (11)
Rots, black cherry fungus-, 965
cherry brown-, 683
corn ear-, Diplodia macrospora in, 528
corn ear-, and stalk-, 16
delphinium crown-, stem-, and bud-, 806
grape black-, 13
Macrophomina dry-, 1113
orchid Erwinia soft-, 80
pea (soil-borne), 1098
peach brown-, 962
plane tree (London) bacterial, 963
potato bacterial ring-, 330, 1032, 1118
potato Sclerotium charcoal-, and associates, 1120
potato soft-, 1117
Pythium myriotylum soft-, 261
Sclerotinia brown-, 546
stone fruit Sclerotinia brown-, 506, 1120, 1212
sugar cane Colletotrichum red-, 2
wood-, fungus-induced, 17, 45, 517
of hardwoods, 45
Rubus spp., anthracnose, etiology and history, 1115
Rubus virus-8 (new), raspberry decline due to, 161
Ruffled leaf, cherry- (see Rasp leaf)
RUPERT, J. A., (14)
Rusts, apple cedar, 5, 533, 1118
barley stem-, 253
bean-, 1147
beet-, 10
carnation-, 1191
cotton Puccinia (new), 385
flax-, 1113
as influenced by vitamins and growth substances, 724
oats crown-, 531
oats stem-, 724, 1118
peach Tranzschelia, 962
resistance to, mechanism, 14
safflower-, 789
wheat stem-, 12, 484, 724, 884
on Triticum timopheevi, 335
white pine blister- (see Cronartium ribicola)
Rutabagas, water-core in, control by borax in soil vs. spray, 8
Rye, ergot epidemic production on, technique, 1116
RYKER, T. C., 70

SACCARDO'S SYLLOGE FUNGORUM, note on reprinting of, 635
SACCO, PAUL, (1109)
Safflower, rusts of, 789
Sanoseed, fungicidal action of vapor, 434
Sap, plant-, anaerobic collection method, 129
effect on tomato wilt fungus, 1111
Scab, apple-, 5, 6, 11, 19, 56, 533, 1097, 1114, 1118, 1119, 1192
English ivy leaf-, Sphaceloma causing, 1109
magnolia Sphaceloma (new), 6
mango Elsinoë, 1
violet Sphaceloma, 168
Sclerotia, Phymatotrichum, inhibition by S autoclaved with soil, 1205
Sclerotium rolfsii, soil- sterilizing agents for, wetting agent effects on, assay, 12
Sclerotinia fructicola, on cherry, organic materials for pre-harvest spray, 683
from cherry-plum hybrids, single-ascospore isolates, variation in culture, 1118
conidia, preservation of viability by quick freezing and storage, 613
fungicidal control, particle size vs., 546
on peach, control by Fermate, 962
on stone fruits, temp. and humidity effects on blossom blight, 15
laxa, chlorophenates as eradicant sprays for, 1120
imperfect stage on Prunus cerasus in Wis., 1212
on stone fruits, eradicant sprays for, 506
Sclerotium bataticola, dry rot of crops due to, in southern U. S. A., 1113
potato charcoal rot due to, 1120
rolfsii, sclerotia, soil-sterilizing agents for, wetting agent effects on, assay, 12
SCOTT, C. EMLEN, 933, 962
Scurf, sweet potato-, 410
Seed treatments, cereals, for seed-borne diseases, 1064
by Spergon, 332
cereal and vegetable, report of Coordination-of-Research Committee, 423
corn, by mercury vs. non-metallic dusts, 602
cotton, for damping-off, 51
effect on disease control and yields, 17
by fungicidal vapors, 431
flax, seed injury vs., 1117
by Spergon, 332
Lima bean, 3
oats, for smut, volatile vs. nonvolatile fungicides, 1112
pea, for rots (soil-borne), 1098
protectant, by organic vs. inorganic fungicides, 9
for vegetables, 14
soy bean, effect on emergence, stand and yield, 1113
tomato, for Alternaria solani, 797

Seed-borne diseases, Alternaria zinniae, 379
carrot Cercospora blight, 119
cereal, in Manitoba, 1111
seed treatments for, 1064
pea, control, 1098
forest trees, book review, 338
Seeds, forest tree-, book review, 338
fungi on cereal-, heat treatment for, 333
Segregation, in basidiospores, 3
Semesan Bel, sweet potato scurf control by, 410
sepedonica (Phytomonas), 330, 406
sepedonicum (Corynebacterium), 1032, 1110, 1118
Septoria lycopersici, on tomato, spray control, factors influencing, 9
oudemansii, distribution, 745
Kentucky bluegrass infection by, 745
rubi, leaf spots of blackberry and dewberry due to, 1002
strawberry leaf spot role questioned, 986
Serum, bovine, effect on viruses of plants, 675
SEVERIN, HENRY H. P., 741
SHAN-MING CHEN (see under CHEN)
SHARVELLE, E. G., 1118
SHAW, K. J., (469)
SHAW, LUTHER, (1111), (1116)
SHAY, J. R., 11, (19), (1212)
SHEAR, C. L., (1115)
SHERF, ARDEN F., 330
Shot hole disease, plum-, noninfectious heritable disorder of Beaty var., 1101
stone fruit Coryneum, 506
SISSELMAN, CHARLOTTE B., (314)
SLAGG, CHARLES M., 390
SMITH, A. L., 150
SMITH, CLAYTON O., 82, 1101
SMITH, OLIVER F., 525, 1081
SMITH, RALPH E., 258
SMITH, T. E., 11, 469, 1076
Smuts, barley loose-, 194
seedling-infecting, 324
cereal-, grass susceptibility to, 910
corn-, 749, 943
grass stripe-, 7, 707, 1045, 1116
millet-, 1122
oats-, 1112
oats covered-, 14, 332, 1064
oats loose-, 14, 1064
onion-, 9
wheat-, 258
SNIESZKO, S. F., 1032, (1110), 1118
Snowmold, of grasses and cereals, 1157
Sodium dinitro-o-cresylate, as eradicant spray for Sclerotinia and Coryneum, 515
Sodium nitrite, for damping-off, 1110
for root knot, 1110, 1111
Sodium pentachloro-phenate, as eradicant spray for Sclerotinia and Coryneum, 515
Sodium tetrachloro-phenate, as eradicant spray for Sclerotinia and Coryneum, 515
Soft rot, potato bacterial, charcoal, rot association, 1120
Soil amendments, effect on Fusarium-root knot-attacked cotton yields, 10
Soil treatments, for damping-off, 1110
for root knot, 1110, 1111
fumigants compared, 1118
Soil-borne diseases, Alternaria zinniae, 379
Bacterium tabacum, 1109
pea, control, 1098
Soils, fumigants, adsorption, 12
chloropicrin for root knot, 1166
fungicides, for Fusarium oxysporum cubense, 398
moisture, Lima bean seed treatment vs., 3
Phymatotrichum sclerotia in, inhibition by S autoclaved with soil, 1205
root knot in greenhouse-, control by chloropicrin, 6
sterilization by organic solutions, wetting agent effects, assay, 12
solanacearum (Bacterium), 11, 1076
(Phytomonas), 14
Solanum virus-2, reactions of resistant tobaccos to, 565
Sooty blotch, pear-, 1117
Sorghums, Macrophomina dry rot, 1113
zonate leaf spot (new), 220
Sorghum spp., Gloeocercospora zonate leaf spot (new), 222
halepense, Titaeospora andropogonis on, 220
Sorosporium syntherismae, cross inoculations, 572
interspecific hybridization, 571
life cycle and nuclear condition, 571
SORRELL, M. B., 12, (1114)
SOUTHAM, CHESTER M., 517
Soy bean, seed treatments, effects on emergence, stand and yield, 1113
Specificity, vector-, for virus varieties, 17
Spergon, corn seed treatment by, 602
in pre-harvest cherry sprays, 683
seed protectant value, 9
sweet potato scurf control by, 410
Sphaceloma spp., English ivy leaf scab due to, 1109
hosts in La., 1
n. sp., on Magnolia grandiflora, 6
violae, new records and hosts, 168
Sphacelotheca panici-miliacei, cross inoculations, 572
interspecific hybridization, 571
life cycle and nuclear condition, 571
Sphaeropsis malorum, on apple, Fermate control, 1116
on soft pines, significance, 828
Sphaerotheca humili var. fuliginea, on delphineums, distribution and rapid identification, 832
pannosa, water-soluble fungicide for, 1097
Sphaerulina **rubi** n. sp., raspberry "Septoria leaf spot" due to, 997
Spinach, preemergence damping-off, measure of, seedling germination rate/fungus growth rate as, 7
seed protectants for, 14
Spores, fungus-, on air-exposed slides, identification, 75
eradicant action of fungicides for, on living leaves, 1190
germination method, for Agaricus, 530
viability preserved by quick freezing and storage, 612
Sporobolus spp., Puccinia stakmanii (exp.) on, 387

Spray equipment, new types, efficiency, 1114
Spray injury, copper-, on grape, 13
sulphur-, on apple, 2
Sprays, coverage factor, determination technique, 1114
spreader-stickers, for cherry pre-harvest sprays, 683
Spreaders, in organic fungicides for cherry, 683
STAKMAN, E. C., 12, 424, 884, 943, 1118
STARK, FRANK L., JR., 12, 1118
STARR, G. K., 257
STARR, MORTIMER P., 314
STEINMETZ, F. H., 12, (45)
Stereum purpureum, cordwood decay by, calorific and chemical study, 46
Sterilization, soil-, by organic solutions, assay of wetting agent effects, 12
STEVENSON, JOHN A., (101), 635
stewartii (Phytomonas), 407
Stigmatomycosis, bean Nematospora, 1209
STODDARD, D. L., (162)
STODDARD, ERNEST M., 13, 20, 1119, 1190
STOLLER, B. B., 13
Stone fruits, Armillaria root rot, in eastern U. S. A., 813
STRUBLE, BEN F., 528
Sugar beet, Corticium leaf blight, 6
curly top, on tobacco, as influenced by inoculation site, 10, 586
leaf area determination, technique, 1071
preemergence damping-off, measure of, seedling germination rate/fungus growth rate as, 7
Uromyces betae on, temp. relations and distribution, 10
water-mold seedling disease, temp. and pH relations, 7
Sugar cane, Colletotrichum falcatum on, perfect stage, 2
internal breakdown, mosaic-associated, 3
mosaic, re-infection of recovered plants, 713
virus disappearance from recovered plants, 713
SUIT, R. F., 13
SULLIVAN, J. T., 401
Sulphur, effects on white clover composition by rust and, 401
fungicidal (see under Fungicides)
Phymatotrichum sclerotia inhibited in soil autoclaved with, 1205
Sunflower, crown gall on, sterility of secondary tumors, 85
Sunscald, effect on potato soft rot in transit, 1117
tomato fruit-, effect on leaf blight spray control, 9
Surveys, cereal diseases (seed-borne) in Manitoba, 1111
pea diseases in Wis., 15
Susceptibility, grasses (forage), to smuts of cereals, 910
Suture spot, peach fruit disease (new), cause unknown, 167
Sweet clover, white-, Ditylenchus dipsaci strain on white clover, alfalfa and, 525
Sweet potato, Fusarium wilt, on cotton and tobacco vs., 469
crop rotations for, 483
distribution, 469
scurf, fungicidal control, 410
SWINGLE, R. U., 1196
Symptoms, acute vs. chronic, in virus diseases, 8
Synergism, between toxicants, significance, 18
syringae (Phytomonas), 82
tabacum (Bacterium), 3, 1109, 1120
Taphrina deformans, on peach, early records in U. S. A., 259
TAPKE, V. F., 194, 324
taraxaci (Xanthomonas), n. sp., 961
Taraxacum kok-saghyz, bacterial leaf spot (new), 959
Tattoo-netted corky bark, citrus-, virus (?) origin, 862
Taxonomy, phytopathogenic bacterial, culture medium aid to, 314
TAYLOR, A. L., 1166
TAYLOR, CARLTON F., 14, 1119
TAYLOR, J. W., (240)
Technique, abnormal tissues in living pines, detection by dyes, 20
anaerobic collection of plant fluids, 129
bacterial identification by bacteriophage, 1119
chloroplast isolation, 766
chromoprotein extraction from plastids, 768
culture media, agar substitute, corn-meal and starch mush as, 617
for Phytomonas sepedonica, 406
phytopathogenic bacterial growth in synthetic, 314
for potato ring rot bacteria, 1118
cultures, growth measurement of fungus colonies, reflector scale for, 619
maintenance of bacteria and fungi in, 330
single-spore, for Agaricus, 530
distribution (local) of Ribes, measuring, 4
ergot epidemic production, 1116
fungicides, assay, of Bordeaux, 633
correlation of greenhouse and laboratory methods, 15
of effectiveness, 5
of eradicant action, 1194
laboratory-greenhouse method, 19
slide-germination method for protectants, 627
coverage, determination technique, 1114
field testing on apple, 13
particle size determination, 8
retention and protective value determination, 899
fungus growth measurement, reflector scale for, 619
identification of: fungus spores from air-exposed slides, 75
Sphaerotheca humuli var. fuliginea, 832
inoculation, of corn ear and stalk rots, 16
of Typhula, 1158
internal therapy, for vascular diseases, 16

leaf area determination, on potato, 922
on sugar beet, 1071
plot-, for disease control tests on fine turf, 528
sap (plant) collection method, 129
spray equipment, efficiency of new-type, 1114
Verticillium-free clones, establishment, 3
virulence comparison of strains of Alternaria on tomato, 698
virus separation by contact-period effects in grafts, 818
virus symptoms, localization and intensification, 18
virus-protein determination, colorimetric, 8
wetting agent effects on organic soil-sterilizing agents, assay, 12
Terminalia arjuna, fungus (?) leaf spot of, 404
Terminology, fungicidal, definitions, 624
Tetrachloro-para-benzoquinone (see Spergon)
Tetra-methyl-thiuram-disulphide (see Jap-Beetle Spray; Thiosan
THATCHER, F. S., 14
Thea sinensis, Sphaceloma on, 1
Thelephora sp., cordwood decay by, chemical and calorific study, 46
Therapy, internal chemical, for vascular diseases, 16
Thiamin, effect on rust fungi, 724
Thiosan, corn seed treatment by, 602
seed-protectant value, 9
sweet potato scurf control by, 410
as vegetable seed protectant, 14
THOMAS, HAROLD E., (933)
THOMAS, H. EARL, (933)
THOMAS, H. REX, 114, 729, (797), (1176)
THOMAS, JOHN E., 1119
THOMAS, R. C., 1119
THOMAS, W. D., JR., 144
Thrips, as vector of pineapple yellow spot, wind role, 410
Thuja plicata, heartwood extract, effect on wood-destroying fungi, 517
orientalis, Cercospora blight, 1117
THURSTON, H. W., 56
TILFORD, P. E., (1196)
Tilletia levis, on wheat, photoperiodism effects on, 240
tritici, dwarf-bunt race, chlamydospore germination, significance, 732
on wheat, photoperiodism effects, 240
Timber (see Wood)
Tip blight, pine Diplodia, 1018
Tip burn, guttation-fluid role, 1110
Titaeospora andropogonis, on Johnson grass, 220
Tobacco, anthracnose in plant beds, 15
burley, plantago virus outbreak in, 210
Cercospora leaf spot, environal relations, 355
resistance to, real vs. apparent, 358
curly top, immunity acquirement, mechanism, 598
inoculation site effects, 10, 586
downy mildew, distribution and taxonomy, 101
etch, hosts (exp.), 1114
on Physalis subglabrata, 1114
Fusarium wilt, on cotton and sweet potato vs., 469
crop rotations for, 483
distribution, 469
Granville wilt, control by urea in soil, 11
pattern of occurrence in successive plantings, 1076
leaf-spot bacteria, multiplication on roots of other spp., 3, 1120
mosaic, klendusity to, in Chilean tomato and hybrids, 19, 691
N and N′ factors in relation to, 14
resistant genotypes, 300
tomato derivatives escaping, 19
virus, cyanide effects on synthesis, 77
origin and relationships, 219
sensitivity to inactivators, 675
virus-1, acute and chronic phases and factors influencing, 1052
virus-protein, colorimetric determination, 8
pathogenicity of miscellaneous bacteria vs. Bacterium tabacum to, 1109
ring spot, reactions of resistant tobaccos to, 565
virus, cyanide effects on synthesis, 77
sensitivity to inactivators, 675
Turkish, virus passage from cion to stock in, contact period effects on "yellow" vs. "mosaic" type viruses, 818
viruses, acute vs. chronic symptoms by, 8
virus-strain reactions of resistant, 551
yellow mosaic, acute and chronic phases and factors influencing, 1045
tolaasi (Phytomonas), 1093
Tomato, Alternaria early blight, "physiological" maturity vs., 1
seed treatments for, 797
in seedlings, culture practices influencing, 1176
sporulating non-chromogenic strain from, 729
virulence of strains, comparison technique, 698
anthracnose, control, by Fermate vs. copper fungicides, 1120
bacterial wilt, nitrogen utilization by pathogen, 14
broom-rape parasitizing, 257
curly top via tobacco cions on, reactions to, 597
Fusarium wilt, pathogenesis, toxin role, 4, 126, 1111
toxic effects of extracts of mild vs. virulent strains, 1004
toxins in plants with, 4
virulence variations and host reactions, 175
leaf blights, spray control, factors influencing, 9
plantago virus (exp.) in, 216
"red ring" of stems, insect-induced, 613
root knot on, treatment for greenhouse control, 6

seed protectants for, 14
tobacco mosaic klendusity (heritable) in Chilean tomato and hybrids with, 691
vascular wilt, Fusarium retusum (new) causing, 956
Toxicants, in crop residues, role of microorganisms in, 1111
synergism and antagonism between, significance, 18
"Toxins," in tomato Fusarium wilt, 4, 126, 1004, 1111
virus vs. fungus, 20
Trametes spp., as influenced by heartwood extracts of western red cedar, 518
serialis, black cherry rot due to, general study, 984
suaveolens, sporophores, environal effects on morphology, 328
Tranzschelia pruni-spinosae, on peach, control by Fermate, 962
Trees, forest-, diseases, book review, 338
seeds, book review, 338
fruit-, Armillaria root rot in eastern U. S. A., 812
fungicides on, field testing technique, 13
nursery-, root rot and control in deciduous, 656
Trichothecium **arrhenopum** n. sp., Pythium oospores parasitized by, 232
Trifolium repens, Ditylenchus dipsaci strain on alfalfa, sweet clover and, 525
as influenced by rust and sulphur, 401
Trioxymethane, fungicidal action of vapor, 445
Triticum timopheevi, stem rust on, 335
TROPICAL PLANT RESEARCH FOUNDATION, dissolution, announcement, 1107
Truffle disease, of mushrooms, control by ammonia, 13
Trypsin, effect on viruses of plants, 675
Tulip tree, root rot in nursery, causes and control, 656
tumefaciens (Bacterium), 8
(Phytomonas), 85, 1119
Tumors, invading plant-, factors influencing, 8
malignancy in animal- vs. plant-, 98
plant-, chemical influences resembling, 1119
Turf, fine-, disease control tests on, plot technique, 528
Typhula sp., snowmold of pasture grasses due to, hosts and general study, 1157

Ultra-viruses (see Viruses)
Uncinula necator, on grape, copper fungicides for, control vs. spray injury, 13
UNION OF AMERICAN BIOLOGICAL SOCIETIES, committee report on, 419
Urea, tobacco Granville wilt control by, 11
Urocystis spp., from cereals, grass (forage) susceptibility to, 910
agropyri, physiologic races, 919
tritici, origin, 920
physiologic races vs. wheat vars., 169.
Uromyces betae, on beet, temp. relations and distribution, 10
caryophylinus, on carnation, eradicant action of fungicides on leaves, 1191
phaseoli, fungicidal action on, factors in, 1147
trifolii, effects of sulphur and, on white clover composition, 401
Ustilago spp., of barley loose smuts, occurrence, identification and species validity, 194
avenae, on oats, seed treatments for, 1064
physiologic races, exptl., 14
crameri, cytology, life history and host relations, 1122
hordei, on barley, seed treatments for, 1064
levis, on oats, seed treatments for, 1064
physiologic races, exptl., 14
medians, taxonomic status, 206
nigra, amplified description, 206
on barley, physiologic races, frequency and distribution, 324
distribution, 206
striaeformis, chlamydospore germination, temp. effects, 1055
isolation and culture from bluegrass, 1116
on Kentucky bluegrass, host development vs. temp., 1055
f. agrostidis, chlamydospore germination, 707
culture, 7, 707
f. poae-pratensis, chlamydospore germination, temp. effects, 7
zeae, chlamydospores, heritable abnormality in, 749
promycelium lysis inherited, 751
white mutant character, inheritance, 943
UTTER, L. GORDON, 14

VALLEAU, W. D., (3), 14, 210, 1120
Variegations (plant) (see also Viruses)
citrus infectious, crinkle leaf association, 860
cytology and histology, 641
mosaic-like, in snap beans, 779
origin and relation to virus infections, 637
sexual inheritance, 650
symptoms, 640
VAUGHAN, EDWARD K., 14, (797)
Vectors, insect- (see Insects as vectors)
Vegetables, boron deficiency in, 940
Pythium myriotylum soft rot, 261
seed protectants for, new organics, 14
seed treatments for, report of Coordination of Research Committee, 423
Venturia inaequalis, on apple, control, eradicant action of fungicides on leaves, 1192
by eradicant vs. protective sprays, 6
by eradicant sprays, cationic phenyl Hg compounds as, 1114
by Fermate, 5
fungicidal, particle size vs., 533
spray effects on tree growth and yield, 56

sulphur coverage vs., 1119
water-soluble fungicide for, 1097
conidia, preservation of viability by quick freezing and storage, 612
mutant characters, genetic studies, 11, 19
pathogenicity, inheritance, 19
Verticillium spp., clones free of, establishment, 3
internal therapy against, 16
toxins of, virus compared, 20
Viability, of fungi and spores, preservation by quick freezing and storage, 612
Violet, Sphaceloma scab, new records and hosts, 168
VIRGIN, W. J., 743
Virulence, of Alternaria strains on tomato, comparison technique, 698
Viruses (plant—special and general data; see also Variegations)
behavior in resistant hosts, 311
classification and nomenclature, committee report, 424
disease symptoms, acute vs. chronic, 8
genetics of expression, 16
masking by temp. in cherry yellows, 1213
techniques for localizing and intensifying, 18
evolution, from chondriome (?), 20
from mitochondria and derivatives, chemical evidence, 766
cytological and genetical evidence, 637
immunity acquirement in tobacco, mechanism, 598
nature and biological activity, 950
pathological growth and symptoms due to, chemical influences resembling, 1119
recovery from infection in sugar cane mosaic, 713
sensitivity to inactivators, 674
separation by contact-period effects in grafts, 818
severity of attack, inoculation site effects, 10, 586
toxins of fungi vs., 20
vector specificity for vars. of potato yellow dwarf, 17, 1110
"yellow" vs. "mosaic" types, passage from cion to stock in Turkish tobacco, contact period effects, 818
Viruses (by plant hosts; for details see under hosts and specific diseases)
aster, yellows, 2, 741
potato infection, 16
bean, mosaic, 778
mosaic (new), 1215
new disease (?), 743
virus-4, 16
carnation, mosaic, 823
cherry, 6
rasp leaf, 620
yellows, 6, 449, 1213
citrus, bark disorders (?), 860
convex gum, 394
psorosis, 865
varieties of, 837
cranberry, false blossom, 19
cucumber, mosaic, 675, 818
virus-1, 565
elm, mosaic, 1196
fig, mosaic (?), 719
peach, yellow-red, 18, 20
pineapple, yellow spot, 408
plantago, mosaic, 564
in tobacco, 210
potato, 19
purple-top wilt, aster yellows causing, 16
ring spot, 675
X-mosaic, 1116, 1216
yellow dwarf, 363, 1110
on Nicotiana rustica, 1121
raspberry, decline, 156
sugar beet, curly top, 10, 586, 818
sugar cane, mosaic, 3, 713
tobacco, 8, 551
curly top on, 10, 586
etch, hosts (exp.), 1114
mosaic, 8, 14, 77, 219, 300, 675, 691
on tomato, 19
ring spot, 77, 675
Nicotiana virus-1, 1045
and mutants, 551
yellow mosaic, 1045
tomato, ring spot, 818
tobacco mosaic on, 19
Vitamins, effect on rust fungi, 724

WALKER, E. A., 15
WALKER, J. C., 778
WALLACE, H. A. H., 4, (1064)
WALLACE, J. M., (865)
WALLACE, PHILIP P., (1121)
Walnut, black- (see Juglans nigra)
WANG, C. S., 1122
War Committee, of American Phytopahtological Society, reports, 339, 424, 747
Washingtonia filifera, bacterial leaf disease (new), 1201
washingtoniae (Phytomonas), n. sp., 1203
Water-core, in rutabaga, control by borax in soil vs. spray, 8
WATERMAN, ALMA M., 828, 1018
Watermelon, preemergence damping-off, measure of, seedling germination rate/fungus growth rate as, 7
WATSON, R. D., 1120
WEAVER, L. O., (5), 15, (612)
WEBER, GEORGE F., 615
Weeds, tobacco leaf-spot bacteria on roots of, 1120
WEIMER, J. L., 249, 319
WEISS, JAMES E., (314)
WELLMAN, FREDERICK L., 175, 617, 698, 956, 1004
WELLMAN, R. H., 15, (19)
WERNHAM, C. C., 1157
Wetting agents, effect on organic soil-sterilizing agents, assay, 12
Wheat, Alternaria on seeds, storage temp. effects, 333
"black point," distribution, etiology and control, 1112
bunt, copper fungicides for, early use in U. S. A., 258

photoperiodism effects on, 240
seed treatment by Spergon, 332
dwarf bunt, chlamydospore germination, 732
Helminthosporium sativum on seed, in Canada, 4
kernel smudge, varietal reactions to, 4
loose smut, physiologic races, 169
powdery mildew, on grass spp., 5
Pythium ostracoides (new) on roots, 275
seed-borne diseases, seed treatments for, 1064
smut, copper fungicides for, early use in U. S. A., 258
stem rust, browning reaction, host vars. and rust traces vs., 484
population trends (U. S. A., 1930–41), 884
reactions as influenced by vitamins and growth substances, 724
regional spread from barberries (1942), wind role, 12
resistance mechanism, 14
testing for resistance, technique, 897
on Triticum timopheevi, 335
WHITE, PHILIP R., (85)
White mosaic, reactions of resistant tobaccos to, 563
WILCOX, MARGUERITE S., (986)
Wildfire, tobacco bacterial, 3, 1109, 1120
WILHELM, STEPHEN, 806
WILSON, E. E., 497, 506, 962, 1120
WILSON, J. D., 1120
Wilting, effect on susceptibility to tomato early blight, 1179
Wilts, banana Fusarium, 835
cotton Fusarium, 10
flax-, 1113
potato purple-top, aster-yellows virus causing, 16
tobacco Granville bacterial-, 11, 1076
tomato bacterial-, 14
tomato Fusarium, 4, 126, 175, 1004, 1111
tomato Fusarium (new), 956
vascular, internal chemical therapy, 16
Verticillium, 3
Wind (see under Air)
Winter injury, of plane tree (London), infections following, 963
WOLFENBARGER, D. O., (76)
Wood, decayed, calorific and chemical study, 45
fungi destroying, as influenced by heartwood extracts of western red cedar, 517
living, abnormal tissues in, detection by dyes, 20
preservative, new adaptation, 17
Woods, M. (see Woods, Mark W.)
WOODS, MARK W., 20, 77, 637, (766)
WORTHLEY, H. N., 56
WRIGHT, CHARLES M., (12)
WRIGHT, ERNEST, (390)

Xanthomonas spp., growth in synthetic medium, as taxonomic aid, 315
taraxaci n. sp., dandelion (Russian) leaf spot due to, 961
X-disease, peach (see Yellow-red virosis)
X-virus, potato, foliar mottle and necrosis of Chippewa var. associated with strain of, 1116, 1216

YARWOOD, C. E., 1146
Yeast spot, bean Nematospora, 1209
Yellow dwarf, potato, on Nicotiana rustica, local lesion factors, 1121
vector specificities for vars. of, 17, 1110
virus, clover leaf hopper transmission relations, 363
Yellow mosaic, tobacco, acute and chronic phases and factors influencing, 1045
Yellow-mosaic virus, type-B, reactions of resistant tobaccos to, 564
type-C, reactions of resistant tobaccos to, 565
Yellow-red virosis, peach, symptoms, techniques for localizing and intensifying, 18
virus, fungus toxins compared, 20
Yellow spot, pineapple, plant spacing vs. incidence, 408
wind-blown vector, 410
Yellows, aster, on Ambrosia artemisiifolia, 16
virus, annual-phlox infection via leaf hoppers, 741
potato infection, 16
properties, 2
transmission by Macrosteles divisus, 16, 741
cabbage Fusarium, 15
cherry, new virus, 449
insect transmission, 466
strains on Montmorency var., 6
symptom masking by temp., 1213

YORK, HARLAN H., 20
YOUNG, GEORGE Y., 656
YOUNG, H. C., JR., 16, 1121
YOUNKIN, S. G., 16, 1121

ZAUMEYER, W. J., 16
ZEEUW, D. J. DE, 530
ZELLER, S. M., 136, 156
ZENTMYER, GEORGE A., JR., 16, (20), 1121
Zinnia, Alternaria disease, general study, 372
Zizania sp., Claviceps on, 12

ERRATA, VOLUME XXXIII

Page 2, line 11, *read* r. p. s. *for* r. p. m.
Page 204, line 5, *read* (Fig. 3, D) *for* (Fig. 4, D)
Page 220, line 6 from bottom of page, *read Cercospora for Cerospora*
Page 225, line 1, *read Gloeocercospora for Gloeocerspora*
Page 308, line 6, *read* seeding *for* seedling
Page 328, line 12, *read* 50 cc. *for* 500 cc.
Page 430. In date line beneath title, *read* July 29 *for* July 28
Page 552, line of continuation of footnote 4 of preceding page *read* dark green *for* green dark
Page 567, literature citation 2 *read* Dalldorf *for* Daldorf
Page 624, delete footnote [2] from title
Page 628, lines 25 and 49, *read* McCallan *for* McAllan
Page 882, line 8, *read* yellows *for* yellow
Page 952, paragraph 3, line 6, *read* H_2S *for* H.S.